

**REMARKS**In the Claims

The proposed claims differentiate the present invention from the cited prior art as discussed below.

Rejection Under 102 and 103 based on *Dimitriu*

The Examiner presently rejects independent claim 1 under 35 USC 102 as being anticipated by *Dimitriu*. Specifically, the Examiner cites column 5, lines 45-65 as a basis for the rejection. However, in column 5 *Dimitriu* is specifically discussing tension forces in the cable being pulled, not the vacuum forces. Vacuum forces are unrelated to tension forces. *Dimitriu* does not teach, show or suggest recording a vacuum pressure as claimed by the applicant in claims 1, 17, and 19, which recite recording a vacuum pressure. Furthermore, there is no motivation in *Dimitriu* to monitor vacuum pressure, as *Dimitriu* does not even identify problems associated with vacuum pressures. Withdrawal of the objection to claims 1, 17, and 19 under 35 USC 102 and 103 based on *Dimitriu* are respectfully requested.

*Miller* is also cited by the Examiner as a basis for the rejection of various claims. However, *Miller* teaches monitoring a vacuum in a vacuum environment used to in the filed of wound treatment. Such treatments are used in the field of wound treatment to force cell migration into wounds. However, the mere suggestion that one can use such a vacuum to treat a wound on a fetus does not motivate one to use such a device to deliver a fetus. In fact, the device of *Miller* could not possibly be used to deliver a fetus. Likewise, vacuum devices for fetal delivery are not used for wound treatment.

Thus, the use of vacuums in the field of wound treatment is very different that the use of vacuums in the field of fetal delivery. No matter how hard one searches, they never find a vacuum pump used for both fetal delivery and for wound treatment. The pressures are different, the pumps are different, and the goals of the use of the vacuum pressures are different. No matter

how hard one searches, they will never find a device adapted to attach to a fetus used in conjunction with a wound treatment system since the combination would either ineffectively treat a wound, or produce insufficient pressures for fetal delivery. Accordingly, the Examiner is requested to withdraw *Miller* as prior art in the present case.

In addition, for the foregoing reasons, no combination of a fetal deliver system should be made with a wound treatment device. No matter how hard one looks, no such combination exist in the prior art, ever. No matter how hard one looks, no one will find such a combination used in practice, anywhere. Nevertheless, the Applicant proposes amending claims 1, 7 and 19 to expressly state that the invention does not apply to wound treatment (see above). Accordingly, the Examiner is respectfully requested to withdraw any rejections based on *Miller*, alone or in combination with other alleged prior art.

It is now believed that claims 1, 7 and 19, and those that depend therefrom, are now in condition for allowance. In addition, since independent claims 1, 7 and 19 are now in condition for allowance it is noted that each dependent claim is also in condition for allowance, and thus allowance of each dependent claim is also requested. Thus, it is believed that pending Claims 1-15, and 19-21 are allowable. The Examiner is encouraged to contact the under signed attorney to resolve these matters by Examiners Amendment where possible.

Respectfully Submitted,

Steven W. Thrasher  
Reg. No. 43,192  
Attorney for Applicant

Thrasher Associates, LLC  
391 Sandhill Dr., Suite 1600  
Richardson, Texas 75080  
Tel: (972) 918-9312  
Fax: (972) 231-2686

2590564

4

**FAX RECEIVED**

JUL 01 2003

TECHNOLOGY CENTER 2800

## VERSION WITH MARKINGS TO SHOW CHANGES MADE

Please amend claims 1, 7, and 19 as indicated.

1. (Three-times Amended) A method of using a recording device that records a pressure in a vacuum device adapted for fetal obstetrics, that is also not a silicon wafer processing device, the vacuum device enabled to couple to a fetus, comprising:

detecting a pressure in the vacuum device, the vacuum device enabled to couple to a fetus;

recording the pressure in the vacuum device; and

storing a record of the pressure.

7. (Three-times Amended) A method of using a recording device to record a pressure in a vacuum device adapted for fetal obstetrics, that is also not a silicon wafer processing device, the vacuum device enabled to couple to a fetus, comprising:

placing the vacuum device on a fetus, the space between the fetus and the vacuum device having a pressure;

initiating a vacuum pressure in the suction device;

detecting the vacuum pressure in the suction device; and

automatically recording the vacuum pressure in the suction device.

19. (Three-times Amended) A method of using a recording device to record a pressure in a vacuum device adapted for fetal obstetrics, that is also not a silicon wafer processing device, the vacuum device enabled to couple to a fetus, comprising:

coupling the recording device to the vacuum device, the vacuum device enabled to couple to a fetus; and

recording the pressure so that a record may be produced therefrom.